Р.

United States Department of the Interior National Park Service

National Register of Historic Places Multiple Property Documentation Form

NATIONAL REGISTER

This form is for use in documenting multiple property groups relating to one or several historic contexts. See instructions in *Guidelines for Completing National Register Forms* (National Register Bulletin 16). Complete each item by marking "x" in the appropriate box or by entering the requested information. For additional space use continuation sheets (Form 10-900-a). Type all entries.

A. Name of Multiple Property Listing	
Prehistoric Rock Shelter and Cave Sites in Southwest	ern Missouri
B. Associated Historic Contexts	
Prehistoric Human Occupations in Southwestern Missou	ri Rock Shelters, ca. 12,000-250 B
C. Geographical Data	
	· · · · · · · · · · · · · · · · · · ·
•	•
	To a security of the second
	X See continuation sheet
D. Certification	
As the designated authority under the National Historic Preservation Act of	of 1966, as amended I hereby certify that this
documentation form meets the National Register documentation standards	and sets forth requirements for the listing of
related properties consistent with the National Register of iteria. Whis submi	ssion meets the procedural and professional
requirements set forth in 36 CFR Part 60 and the Secretary of the Interior's	s Standards for Planning and Evaluation.
	0/2/0/
Signature of certifying official G. Tracy Mehan/III, Director Department of Natural Resources and State Historic F	Preservation Officer
State or Federal agency and bureau	
I, hereby, certify that this multiple property documentation form has been a	approved by the National Register as a basis
for evaluating related properties for listing in the National Register.	

Pages C2, C3, E4, E5, E6, G3, G4, and G5 contain restricted information and are not included in this document.

Section number __ C

United States Department of the Interior National Park Service

National Register of Historic Places Continuation Sheet

Section numberc	Page <u>4</u>	Prehistoric Rock Shelter and Cave Sites in Southwestern Missouri	
Ordovician capped by y	strata and th ounger Missis	ne more gently rolling Springfield Plate ssippian-aged strata (Bretz 1965).	eau
bedrock of and sandsto upper Cotte	r dolomite do only along t 82a; Thomson	is underlain by an system, which includes cherty dolomit (Anderson 1979). In the project areas to minates, with the che lower reaches of 1982b; Thomson n.d.). Massive sandston yield the most	the
The Mississippi	an strata, wh	is composed primarily of includes the	
which usual all chert-be as living s	ly form re-en earing limest ites for preh	are thin tstone and shale units (Martin 1972:7-8 trants (shelters) into the the remaining formations are thin the remaining formations.	re e

National Register of Historic Places Continuation Sheet

Section numberE	Page _	1	Prehistoric	Rock	Shelter	and	Cave	Sites	in	
			Southwestern	Mis:	souri					

Prehistoric Native American occupations in southwestern Missouri rock shelters (i.e., West White Study Unit; Weston and Weichman 1987:B25-1) began at least 12,000 years ago and continued until the historic period, ca. 250 B.P. (Chapman 1975). The first inhabitants may have made their living primarily by hunting, but their economy developed rapidly into one of mixed hunting, gathering and fishing. During the last 3-4 millennia. horticultural activities were added to the economy until maize-complex gardening became a staple in the last millennium. Both open and sheltered sites were utilized as habitations and burial areas throughout prehistory, and preferences for the length of occupation at specific types of sites probably changed according to economic necessity and socio-political conditions. Sheltered sites differ from open sites in that the conditions for preservation of archaeological remains are far better in the former site type. Thus, sheltered sites contain a unique record of a portion of the settlement pattern for every period in prehistory.

The Paleo-Indian and Dalton periods (ca., 12,500-9700 B.P.) are represented by very few sites and virtually no artifact assemblages. These types of sites often occur on the uplands or on high terraces where distinctive lanceolate (Paleo-Indian) or bifurcated base (Dalton) projectile points occur in contexts mixed with materials from other culture periods. The earliest tool assemblages probably also include distinctive scraper forms (e.g., "spurred"), blade flake tools, gravers and burins, and the Dalton inventory is distinguished by adzes. These types of tools have low visibility in southwestern Missouri shelters, but not so projectile points. A Clovis point was recovered from Cobb Cave (23CN71; Benn ed., n.d.), and private collectors have shown the writer Dalton points reportedly from other shelter sites.

Archaic sites are most common on terraces and uplands, yielding large quantities of lithic debris, chipped stone tools, and grinding and hammering stones. This assemblage reflects the shift toward a hunting and gathering subsistence pattern. The Rice complex, a local manifestation of the Early Archaic period (ca. 9000-7000 B.P.; Chapman 1975:129), includes points with lanceolate shapes as well as lobate-based points and Graham Cave Side Notched. This assemblage is best known from the lowest levels in the

(Bray 1956; Marshall and Chapman 1960a,b). The Middle Archaic period (ca. 7000-4000 B.P.) material from many of the same shelters and open sites is called the (Chapman 1975:159). This complex includes large and small side

National Register of Historic Places Continuation Sheet

Section numberE	Page .	2	Prehistoric	Rock	Shelter	and	Cave	Sites	in	
			Southwestern	n Miss	souri					

notched points, Jakie Stemmed, and an array of chipped stone scrapers, drills, other bifaces, and groundstone axes and metates (Bray 1956; Marshall 1958; Chapman et al. 1960). Late Archaic period sites (ca. 4000-2000 B.P.) are even more prolific in terms of stone tool diversity. Projectile point forms emphasize large, stemmed and basal-corner notched styles. Added to this assemblage are perishable artifacts (e.g., sandals, cordage, basketry, mats, leather, wooden tools; Chapman 1975:186; Scholtz 1975) and native cultigens (e.g., chenopodium, ragweed, sumpweed, bottle gourd), when completely dry conditions prevail.

During the Woodland periods (ca. 2000-1000 B.P.), ceramics and the bow and arrow were added to archaic tool inventories. Use of bow and arrow technology requires that projectile point sizes be reduced, first to side notched forms and later to even smaller triangular flake points. Large, stemmed knives continued to be manufactured as did scrapers, drills and other chipped and groundstone tools. Ceramics were tempered with crushed rock, bone or fired clay, and surfaces were roughened with cord-wrapped paddle impressions and decorated with tool marks. Woodland peoples pursued a hunting and gathering subsistence perfected by the Archaic peoples, but their use of refined technologies like ceramics and horticultural products meant that food production and processing were being intensified (cf., Braun 1983). change in subsistence coincided with a reorganization of the settlement pattern toward an emphasis on small site occupations arrayed densely across the landscape. Woodland occupations in nearly every sheltered site reflect this change.

Tiny notched and unnotched triangular projectile points found by private collectors on some terraces in the indicate the presence of Mississippian peoples between ca. 1000-250 B.P.

in this region of southwestern Missouri (see Wood et al. 1983). Open sites do not usually yield shell tempered Mississippian pottery, however, sheltered sites occasionally do because conditions for preservation are better. Other materials from shelter sites consist of scrapers, heavy cutting tools and vast amounts of animal bones (mostly deer), suggesting sheltered sites were utilized as seasonal hunting camps (Benn ed. n.d.).

Since there is evidence for human occupation in sheltered sites during every prehistoric period, we presume these sites were attractive enough for prehistoric peoples to make these

National Register of Historic Places Continuation Sheet

Section numberE	Page .	3	Prehistoric	Rock	Shelter	and	Cave	Sites	in
		····	Southwestern	n Miss	souri		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		

places regular stops during the seasonal round of economic This application of the settlement model is activities. particularly relevant for hunters and gatherers in the Ozarks where the likely socio-economic unit, the family-band, could be comfortably accommodated in an average-sized shelter. sites also have proven to be very attractive to historic and contemporary Americans (e.g., tourists, explorers, vandals, amateur diggers), whose negative impacts on archaeological remains are increasing at an alarming rate. The state plan for archaeological resource protection in Missouri (Weston and Weichman 1987) contains no discussion or provisions for protecting sheltered sites nor, for that matter, any comprehensive overview of prehistory in the West White Study Unit.

We also suspect that utilization of sheltered sites changed during prehistoric times, because some layers produce more remains of different types than other layers. For instance, variability is abundantly evident in the 20 sites in this some contain only a handful of lithic debitage and nomination: tools from any cultural period, others have sparse deposits of the earliest cultural materials (e.g., Early Archaic period), but almost every sheltered site yields Woodland artifacts (Tables Some shelters have over a meter of solidly-packed remains representing practically every activity of daily life during the Late Archaic and Woodland periods. Such a well preserved, stratified record of prehistoric culture is not matched by any other type of site in southwestern Missouri. Because of fine preservation, the possibilities for reconstructing prehistoric cultural behavior from rock shelter data are limited only by the technical achievements of archaeological methodologies.

One factor most responsible for the quality of sheltered sites is the relative absence of natural weathering processes in sedimentary deposits. Without weathering, other disturbances (e.g., groundwater percolation, insect and rodent penetration, mechanical mixing by humans) can be distinguished and evaluated for their effects on the archaeological record. Additionally, evidence for the natural environment (e.g., climate, vegetation and fauna) in the form of terrestrial snails, seeds, animal feces, etc., is preserved in sheltered sites (Straus 1990), when this material would otherwise be dissolved and destroyed in open sites.

National Register of Historic Places Continuation Sheet

Section numberE	Page	Prehistoric	Rock	Shelter	and	Cave	Sites	in
		Southwesterr	n Miss	souri				

Key to each Table

2 = US Forest Service Property

(c) = Pierson limestone-Northview shale contact

ASM = Archaeological Survey of Missouri

MSS = Missouri Speleological Survey

x = Cave with associated rockshelter

* = Artificial height due to historic excavations

** = Disturbed midden deposits

W, = Width

L = Length

H = Height

NRHP= National Register Historic Places

+ = Little or no disturbance, potentially eligible NRHP (test)

T+ = Damaged but potentially eligible NRHP (test)

T- = Mostley destroyed, not eligible NRHP (test)

- = Not eligible NRHP (no further work)

1 - Access (via stream valleys)

Good = walk-in

Fair = short climb

Poor = long steep climb

2 - Vandal Activity

Past = pre-1970

Recent = 1970 present

3 - Condition

Dry = little or no moisture, dusty

Semi-dry = periodic or localized moisture, damp

Wet = permanent moisture, spring

4 - Site Type

Campsite = varied activities, evidence of habitation

Knapping = knapping activity only, no evidence of habitation

National Register of Historic Places Continuation Sheet

Section numberE	Page8	Prehistoric	Rock	Shelter	and	Cave	Sites	in
		Southwestern	n Miss	souri				

The exceptional evidence available in rock shelters is an enormous advantage for achieving a comprehensive picture of culture patterns from all types of sites in the settlement Sheltered sites provide the "missing" evidence, i.e., material remains (e.g., bones, seeds, mussel and egg shells, features, tools made from perishables; cf., Harrington 1960; Chapman 1975; Scholtz 1975) which ordinarily are leached from thin Ozark soils on open sites. Of course, use of well preserved evidence from sheltered sites to reconstruct human behavior at open sites requires the establishment of analogues which connect these types of sites. This means we need detailed artifact assemblages from chronological contexts to be certain of site age, and we need to undertake use-wear studies of artifact types to know the kinds of activities that occurred at specific locales. [A demonstration of these types of integrated analyses has been presented by McMillan and Wood (eds. 1976) for the materials from Rogers Shelter in central Missouri.] By knowing artifact age and function, it is easier to relate organic evidence from sheltered sites to analogous culture contexts in open sites, where the organic evidence is almost always compromised.

National Register of Historic Places Continuation Sheet

Section number <u>F. II</u>	Page1	Prehistoric	Rock	Shelter	and	Cave	Sites	in
		Southwestern	n Miss	souri				

The density and distribution of sheltered sites in the

transition area is controlled by bedrock stratigraphy. The majority of sheltered sites (57.8%) occur in the Cave development (Martin 1972; Thomson and predominates in the Martin 1975) because the underlying an acquiclude which causes lateral migration of ground water n until it emerges at the surface along joints in | are usually joint controlled and at cave springs. erode horizontally along bedding planes (Martin 1972:84). shelters also occur at is less resistant to erosion than the overlying forming re-entrants after extensive weathering. The next formation most likely to produce sheltered sites is Most rock shelters in these strata occur at the base of massive sandstone beds, of which the best These beds are localized in known is occurrence but appear to be particularly common in the Smaller. more shallow rock shelters also occur at the contacts between beds of indurated dolomite and shalely dolomite. Cave morphology differs in dolomite tend to be more narrow (tubular) in the entrance areas with long meandering passages, caves often exhibit wide lens-shaped mouths but shorter conical-shaped passages which soon pinch out. Cave entrances in dolomite are often collapsed sinks with steep uninhabitable slopes, while the floors and ceilings of are generally level following prominent bedding Few caves and no rock shelters were found in the planes.

In a survey of sheltered sites in central Tennessee, Hall and Klippel (1988) tested the hypothesis that the selection of shelters for occupation was guided by a set of situational variables. They identified a southern aspect and large size of shelters as variables that correlated positively with prehistoric occupations. Horizontal and vertical distance from streams were negatively correlated with shelter occupations. Data from the survey (Ray and Benn 1989) indicate that three factors correlate with occupations: relative moisture, southern aspect and large size (see Tables 1-3).

National Register of Historic Places Continuation Sheet

Section number F, II	Page2	Prehistoric	Rock	Shelter	and	Cave	Sites	in
		Southwestern	Miss	souri				•

Most shelters (76%), including ones with cultural deposits, had semi-dry sedimentary fills. Sheltered sites with dry sediments were definitely preferred over locations with wet fills (75% of the former were occupied, 15% of the latter).

The aspects (direction of opening) of occupied sites are widely variable but clearly favor a southern exposure (62%). The reason aspects vary so much-including even northern exposures for occupied sites—is that two comfort factors relate to prehistoric habitation: warmth and light as generated by either the sun or campfires. Shelters with southern exposures are favored because they receive constant solar radiation. On the other hand, north-facing shelters, which are deep or have narrow openings, can be heated effectively by campfires.

The most dramatic correlation between shelter structure and the presence of prehistoric occupations is size. Occupied caves have four times as much area as unoccupied ones, and occupied rock shelters are almost seven times larger than unoccupied ones. While 4m^2 is the size of the smallest occupied site, the usual minimum size for a sheltered site is $12-15\text{m}^2$. A substantial proportion (40%) of the sheltered sites have more than 100m^2 of floor area.

The types of prehistoric occupation in 45 sheltered sites were identified from surface artifacts during the initial survey. When shelter sites had little or no soil deposit and only a few items of lithic debitage were found, sites were designated as limited activity "knapping stations." Such sites probably were utilized for brief stays during which tools were refurbished and people rested. Fourteen sites with limited occupations were recorded. The remaining 31 sites in the original survey sample contain significant deposits of midden soil with animal bones, carbon, lithic flakes and tools, and sometimes pottery sherds. These 31 sites are designated "camps," because they have the potential for being places of long-term habitation where many activities took place.

Twenty-one intact sites from the original were investigated by test excavations to evaluate their research potential (one site lacked potential). The twenty sites in the multiple property nomination include 12 camps and eight knapping stations. This blend of site functions is intended to represent the range of settlement types in all sheltered sites, although no one knows the actual proportion of long-term camps to limited

National Register of Historic Places Continuation Sheet

Section numberFII	Page	3	Prehistoric	Rock	Shelter	and	Cave	Sites	in
			Southwestern	n Miss	souri				

activity sites. Deposits in the twenty sites represent most culture periods, including the following components: 11 Mississippian, 12 Woodland, 10 (3 possible) Archaic. Most of the latter group of components belong to the Late Archaic period. Five sites also have the potential to yield Dalton or Paleo-Indian components from deeply buried (still unexcavated) levels. Four of the 20 sites lack culture period identification, because non-diagnostic material was recovered. With this range of known components and others believed to be deeply buried, the sample of 20 sites represents all periods of the prehistoric record in the Ozarks.

The kinds of materials recovered so far from sheltered sites reflects the daily activities of hunters and gatherers. Short-term knapping stations contain lithic debitage from resharpening tools and refurbishing weapons. Occasionally, a flake tool (e.g., for cutting meat or scraping bone or wood), broken projectile point, or animal bone also is found in knapping Camp sites yield many artifacts along with carbonized wood and food remains, pit and hearth features, and lenses of ash and decomposed organic matter. Artifacts typical of camps include whole projectile points and broken tips, scrapers, drills, flake tools, hammerstones, bone tools, huge amounts of animal bones, mussel shell, grinding equipment (metates, manos), and quantities of lithic debitage. The debitage encompasses all stages in the reduction sequence from cores to primary and secondary flakes, tertiary (retouch) flakes, bifaces, and expended artifacts. A few camp sites also contain domestic equipment such as ceramics, turtle shell bowls, and fetishes (e.g., rock crystals, special animal bones, hematite;).

The rapid rate of sheltered site destruction is a strong argument for action by archaeologists to preserve this cultural There is an imminent danger of losing this site type before a representative sample has been scientifically recorded and excavated. For instance, the survey of 45 sheltered sites revealed that 40% of the sites were highly disturbed and, therefore, effectively destroyed for future research (Tables Another 22% of the sites have moderate disturbances, while only 38% are undisturbed (Ray and Benn 1989:204). The vast majority of past and on-going disturbances are the result of uncontrolled digging. Not depicted in these raw figures is the impact on the "integrity" of the cultural resource. illustrate the rapid loss of integrity in sheltered sites, nearly all of the destroyed sites were large shelters with deep, dry cultural deposits--in short, the "best" sites for research and Conversely, less than half (6/17) of the remaining preservation. undisturbed sites are believed to contain archaeologically significant cultural deposits.

National Register of Historic Places Continuation Sheet

Section number.	F,	III	Page	1	Prehistoric	Rock	Shelter	and	Cave	Sites	in
					Southwesterr	n Miss	souri				

One of the best arguments for the significance of sheltered sites was presented by Richard MacNeish (1978:81-123). His search for the origins of maize drew him to the highlands of Mexico and Peru to excavate in rock shelters, where dry deposits yielded a magnificent record of prehistoric plant collecting. MacNeish's methods of excavating complicated shelter deposits and employing an interdisciplinary team of researchers to evaluate the contents of sites set standards everywhere for archaeological work. The western Ozarks, including southwestern Missouri, contains the same type of sheltered sites and exceptional preservation of lengthy prehistoric cultural records. Ozark rock shelters already have achieved attention during decades of investigation (e.g., Harrington 1924, 1960; McMillan and Wood eds. 1976; Brown 1984).

Sheltered sites in southwestern Missouri are a unique aspect of the prehistoric settlement system because all the conditions affording good opportunities for archaeological research converge in these sites. First, sheltered sites are an integral part of prehistoric lifeways, and they preserve the remains of many, if not most, daily activities. Throughout the past, shelters have been used differentially, so they contain evidence of cultural changes as well as indications of different types of subsistence activities (cf., McMillan and Wood eds. 1976). Additionally, sheltered sites typically have stratified deposits of stone tools, features, and organic remains in an enclosed context where an exact sampling universe can be determined. Compared to open sites, the excavator obtains a greater return of information per dollar/hour invested in digging sheltered sites. preservation conditions in sheltered sites are good and in some instances exceptional. Bones, shell, carbon, and cultural features are preserved in most sites, and dry deposits with uncarbonized perishables are not uncommon. Fourth. sheltered sites contain a record of natural (sedimentary and organic) deposition which is largely unaltered by soil formation Thus, past climatic episodes and habitat communities can be reconstructed from evidence independent of human influences.

James Brown (1984) established a baseline for future research in sheltered sites with his evaluation of late prehistoric life in the Ozarks. In debunking the notion of an "Ozark Bluff Dweller" entity separate from and delayed in their development compared to Late Woodland and Mississippian period peoples in the Arkansas River valley, Brown challenges others to

National Register of Historic Places Continuation Sheet

Section number F, III	Page	2	Prehistoric	Rock	Shelter	and	Cave	Sites	in
			Southwestern	n Miss	souri				

demonstrate how and why culture changes happened in the relatively sparsely populated Ozark highlands, where hunting and collecting remained an optimal economic strategy up to the Historic period. Brown identifies "...shelters as ancillary sites for specialized foraging activities of agricultural groups [such as the Caddoan]." (op.cit.:51) This hypothesis remains to be tested at the same time we investigate the broader issue of why Late Archaic and Woodland (i.e., Early Ceramic period) occupations, with their high density and diversity of artifacts and food remains, seem to be long-term habitations.

The whole issue of "function" is central to research in sheltered sites. Part of what Brown (1984) attacks is the tendency to treat rock shelters as the "type site" for prehistoric Ozark cultures (thus the derivation of the term "Ozark Bluff Dwellers"). In fact, as part of human settlement systems, sheltered sites functioned in different ways during different periods in prehistory. The only constant pattern in sheltered sites is their superb conditions for preservation of evidence. We are left with the conclusion that almost all major research questions pertaining to prehistoric occupations in sheltered sites, except some questions involving late prehistoric activities such as textile manufacture and horticulture, have yet to be scientifically investigated. Moreover, no one knows the exact role sheltered sites had in prehistoric settlement systems, especially during the Paleo-Indian and Archaic periods.

National Register of Historic Places Continuation Sheet

Section number <u>F, IV</u>	Page	1	Prehistoric	Rock	Shelter	and	Cave	Sites	in
			Southwestern	n Miss	souri				

The qualities of sheltered sites in southwestern Missouri include integrity of cultural deposits, contents for research purposes, and association with other archaeological site types. All three qualities are necessary to demonstrate site significance, but the condition of integrity is the crucial one because it is immediately threatened by modern day activities.

Site integrity is easily defined for sheltered sites. Caves and rock shelters have rock ceilings, walls and floors which define absolute site limits and encapsulate sediments. The majority of filling accumulates in one direction: vertical. For human occupants, shelters provide predictable environments: e.g., sunlight and warmth through the opening, protection from precipitation, temperature leveling, familiar surroundings. Shelters change because of natural processes, such as rodent burrowing, ground water seepage, spring flow, and ceiling breakdown and weathering. All of these factors affect to shelter integrity in various degrees depending on local conditions and circumstances.

Recently, the integrity of a majority of sheltered sites has been threatened by human actions which remove rather than Apparently, the combination of supplement shelter deposits. prolific cultural remains and a general human fascination with caves and other unusual rock formations makes sheltered sites attractive to modern people and stimulates their interests in Perennial springs in many caves and examining the contents. shelters also have attracted developers of the water resource. The 1989 survey in southwestern Missouri revealed that sheltered sites are being destroyed at such an alarming rate that all significant shelter sites in southwestern Missouri may be severely damaged or destroyed by 2000. Based on personal contacts with local people, we strongly suspect this prediction applies to sheltered sites throughout the Ozark Highland, although perhaps some rural and non-developing areas in the Ozarks might be insulated longer from this phenomenon.

There are three categories of disturbances to cultural deposits in sheltered sites. One category encompasses a variety of natural actions which will always impact archaeological deposits (e.g., rodents, animals inhabiting the shelters, geological changes, weathering). The most disruptive natural action is the flow of springs through shelters. Rainwater runoff certainly erodes cultural deposits, although overall lowering of the water table in the Ozarks has dried most springs. The second

National Register of Historic Places Continuation Sheet

Section number _F, IV	Page	2	Prehistoric	Rock	Shelter	and	Cave	Sites	in
			Southwestern	n Miss	souri				

category of site impacts is development of shelters for private or commercial purposes: e.g., tapping or impounding the spring, sheltering cattle, building structures, opening for tourism. Most development of sheltered sites has already taken place from the beginning of the twentieth century to the 1950s.

The third category of site impacts is vandalism and uncontrolled digging. To the community of archaeologists and the public, both kinds of disturbances are lumped as "vandalism," but a significant distinction should be noted. "Vandals" are trespassing on private or public property to dig shelter sites, but a considerable amount of uncontrolled digging is done by landowners in shelters on their own property. Vandalism and uncontrolled digging is the impact most threatening to shelter sites today and into the future. The 1989 shelter survey recorded 28 sites with past (ca. pre-1970) and recent (on-going) uncontrolled digging of all types. Twenty-four of these sites showed evidence of recent digging--some occurring between visits during the course of the survey. To stem this tide of site destruction a combination of activities is proposed. sheltered sites will be nominated to the NRHP to raise their status as significant cultural resources. Landowners will be invited to be involved in the site protection process. lectures and media stories will be presented to educate the public about shelter site potential and preservation.

To summarize the category of site integrity, sheltered sites selected for the Multiple Property Nomination must have a majority of their natural and cultural deposits intact. This means spring water cannot have washed away substantial deposits. Nor can we nominate sites so disturbed by vandals that the original ground surface cannot be established or that block excavations cannot be accommodated in undisturbed deposits. Other natural disturbances in the archaeological record (e.g., rodents, weathering, roots) are not considered as limitations to site integrity, since these factors cannot be evaluated prior to intensive excavation.

Another quality of southwest Missouri sheltered sites is that their contents provide a more comprehensive picture of prehistoric lifeways. The circumstances of good preservation in sheltered sites mean that researchers can draw relationships between organic remains and the lithic tools used to process those resources, for instance by doing use-wear analyses on the tools. Opportunities for this kind of research are relatively rare in open sites, where thin, acidic soils dissolve organic remains and damage evidence on the surfaces of lithic tools through weathering and mechanical abrasion.

National Register of Historic Places Continuation Sheet

Section number	<u>F,</u>	IV	Page	3	Prehistoric	Rock	Shelter	and	Cave	Sites	in
					Southwestern	n Miss	souri				

The third quality of sheltered sites resides in their associations with other types of sites to manifest a complete picture of prehistoric settlement systems in the southwestern Since sheltered sites are scattered everywhere in the Ozarks and probably never were the sole habitation sites for prehistoric people, shelters comprise one part of the total settlement system. The use of sheltered sites as resource processing stations, habitations, and burial areas can be related to other types of sites through artifact associations. relationship between sheltered and open sites applies to every cultural period but is most clearly illustrated in the case of the Loftin site, a large Mississippian village with a ceremonial structure at the mouth of the James River. No similar site exists for this complex, agricultural society in southwestern Missouri, yet Mississippian materials are found in many sheltered sites. Brown (1984) asserts that the evidence in sheltered sites was left by hunting parties making forays from large, open villages and by local, hunting and gathering peoples who were strongly influenced by Mississippian centers such as Loftin. this scenario the evidence from sheltered sites is critical for understanding a potentially complex social interaction between complex Mississippian societies and bands of hunters and gatherers.

. Summary of Identification and Evalu			
scuss the methods used in developing the m	ultiple property listing.	•	
	·	•	· .
•			,
•		,	
,			
•			
		Figure	
		X See contin	uation sheet
Major Bibliographical References			
			4
			,
		•	
•			
			, · · · · · · · · · · · · · · · · · · ·
	. •	•	
		X See contin	uation sheet
	the same of the sa	<u></u> 000 00111111	
nary location of additional documentation:			
State historic preservation office	Local gov X University		
Other State agency Federal agency	Other		
reactal agency	0.1101		
Specify repository: Center for Arc	haeological Research		
Form Prepared By			
ne/title <u>David W. Benn, Research</u>			
anization <u>Center for Archaeologi</u>	cal rEsearch	_ date <u>4/15/91</u>	C 5262
eet & number <u>Southwest Missouri</u>		_ telephone(417)_83	6-5363 zip code65804-0C
or townSpringfield		_state <u>Missouri</u>	zip code <u>05804=0C</u>
			- · · ·
•			
•			

National Register of Historic Places Continuation Sheet

Section number.	G	Page	1	Prehistoric	Rock	Shelter	and	Cave	Sites	in
				Southwestern	n Miss	souri				

Early work in the was done largely by amateurs. Beginning in the early 1930's, Lee Adams (1941, 1950, 1958) and associates conducted widespread surveys and dug several caves and rock shelters in the

Although dug with little vertical control, these reports represent the most complete record of sheltered site deposits, most of which are within Similar studies concerning dry shelter sites located along

, which contained well-preserved perishable materials, included Bushnell (1915), Harrington (1924, 1960), Dellinger and Dickinson (1942), Lasiter (1946), and Scholtz (1975).

During the 1950's, the University of Missouri conducted extensive surveys and site excavations in the areas inundated by (Chapman 1956; Chapman et al. 1960). Although many of the more systematic survey and excavation methods of today were not utilized, this work represents the most intensive study of prehistory in the and ultimately resulted in one of the major chronologies for southwest Missouri. Many of the diagnostic projectile point types for this area were described from collections (Marshall 1958). Regional overviews include Chapman's (1975, 1980) syntheses of prehistoric archaeology in the

Specific studies relating to the shelters proposed for nomination include Harvey's Masters Thesis (1960, 1962) analyzing archaeological remains from 10 rock shelters, one of which

Spears, Myer, and Davis (1975:55) report most of which were recorded by Adams (1958). Very little professional work has been conducted

was dug in 1938 and later reported by Lee Adams (1958:183-189). was briefly mentioned by Perttura et al. (1982:196).

There are no modern, systematic archaeological surveys of sheltered sites in the state of Missouri, which is an obvious gap in the state plan for cultural resources (Weston and Weichman 1987). The SMSU rock shelter and cave survey project (Ray and Benn 1989) was designed to fill in this gap for a portion of the

records:

National Register of Historic Places Continuation Sheet

Section numberG	Page	2	Prehistoric	Rock	Shelter	and	Cave	Sites	in	
			Southwestern	Miss	souri					

Objectives of the survey were to determine the distribution and density of sheltered sites relative to environmental variables such as topography, aspect, and bedrock strata and to evaluate the impacts vandals and other historic disturbances have had on archaeological deposits in caves and rock shelters. The project produced a systematic site data used for the assessment of the conditions and rates of destruction of sheltered sites in the western Ozarks.

From early December 1988 to early March 1989 the SMSU survey of sheltered sites covered selected portions of

These investigations included a literature search, records check, intensive pedestrian survey, inventory, and evaluation of 45 sheltered sites (Figures 3, 4, 5). The survey covered a total of 170 km (105 mi) and 42 spot checks in portions of Barry, Christian, Douglas, Stone, and Taney counties. The field reconnaissance consisted of twenty-nine continuous, linear transects:

Supplementing the survey transects were the 42 spot checks of previously recorded sites and speleological

new site or the relocation of a previously recorded site.

As a follow-up to the survey, Southwest Missouri State University sponsored a field school during the summer of 1990 with the goal of investigating 21 shelter sites qualifying for nomination to the National Register. Sites chosen for excavation came from a list of surveyed sites with intact deposits (Ray and Benn 1989:205). Some sites were in the (one of the field school's funding agencies); the rest on private land were available through permission of the their landowners. Investigations at each site entailed making a detailed map of the shelter and its surficial deposits, then excavating a one meter unit to expose buried layers and obtain a sample of cultural materials. Excavation recovery techniques included passing the soil matrix through one-quarter inch wire mesh, retaining soil samples for processing by flotation in the laboratory, and making detailed soil descriptions of shelter strata. Preliminary analysis of the excavated materials shows that most sites yielded diagnostic lithic artifacts from stratified contexts, and every site preserved organic remains (carbon, terrestrial snails and bones). This information will permit us to connect site functions to potential age and environmental contexts.

National Register of Historic Places Continuation Sheet

Section number H Page 1 Prehistoric Rock Shelter and Cave Sites in Southwestern Missouri

Adama. Lee M.

1941 Rockhouse Cave. <u>The Missouri Archaeologist</u> 7(2): 19-27.

The Table Rock basin in Barry County, Missouri.

Memoir, Missouri Archaeological Society 1:1-63.

1958 Archaeological investigations of Southwestern Missouri. The Missouri Archaeologist 20.

Anderson, Kenneth H.

1979 Geologic map of Missouri. Missouri Geological Survey, scale 1:500,000. Rolla, Missouri.

Benn, David W.

n.d. The prehistoric occupations at Cobb Cave in the western Ozarks. Manuscript on file at the Center for Archaeological Research, Southwest Missouri State University, Springfield.

Bray, Robert T.

The culture-complexes and sequence at the Rice site (23SN200) Stone County, Missouri. The Missoouri
Archaeologist 18:45-134.

Braun, David

1983 Pots as tools. In <u>Hammer Theory of Archaeological</u>
<u>Research</u>, J.A. Moore and A.S. Keene eds. Pp. 107-134.
Academic Press, N.Y.

Bretz, J. Harlan

1965 Geomorphic history of the Ozarks of Missouri.

Missouri Geological Survey and Water Resources, Second
Series 41.

Brown, James A.

1984 Prehistoric southern Ozark marginality: a myth exposed. <u>Missouri Archaeological Society Special Publications</u>, No. 6.

National Register of Historic Places Continuation Sheet

Section number H Page 2 Prehistoric Rock Shelter and Cave Sites in Southwestern Missouri Bushnell, David I., Jr. 1915 Fragmentary textiles from Ozark caves. Washington Academy of Sciences Journal 5(9):318-323. Chapman, Carl. H. 1956 Preliminary salvage archaeology in the Table Rock Reservoir area, Missouri. A resume of Table Rock archaeological investigations. The Missouri Archaeologist 18:1-45. 1975 The archaeology of Missouri, I. University of Missouri Press. Columbia. 1980 The archaeology of Missouri, II. University of Missouri Press, Columbia. Chapman, Carl H. (editor), Robert T. Bray, Richard A. Marshall, and Wayne O. Wallace, Jr. 1960 Summary and conclusions. Archaeological investigations in the Table Rock Reservoir, Missouri, Part V. Report to National Park Service, Midwest Research Center, Lincoln, Nebraska. Dellinger, S.C., and S.D. Dickinson 1942 Pottery from the Ozark Bluff Shelters. American Antiquity 7:276-289. Hall, Charles L., and Walter E. Klippel 1988 A polythetic-satisficer approach to prehistoric natural shelter selection in Middle Tennessee. Midcontinental Journal of Archaeology 13(2):159-181. Harrington, Mark R. 1924 The Ozark Bluff-Dwellers. American Anthropologist 26:1-21. 1960 The Ozark Bluff-Dwellers. Heye Foundation Indian

Notes and Monographs 12. Museum of the American

Indian, New York.

National Register of Historic Places Continuation Sheet

Section numberH	Page	3	Prehistoric	Rock	Shelter	and	Cave	Sites	in
			Southwestern	Miss	souri				

Harvey, Amy E.

Temporal-cultural analysis of archaeological remains in a group of rock shelters in southwest Missouri. Archaeological investigations in the Table Rock Reservoir area, Missouri, Part IV, pp.580-794. Shelter, dry shelter, open site and rock cairn excavations. Report to National Park Service, Midwest Research Center, Lincoln, Nebraska.

Temporal-cultural analysis of archaeological remains in a group of rock shelters in southwest Missouri. Unpublished M.A. thesis, Department of Sociology and Anthropology, University of Missouri.

Lasiter Mary E.

The textile world of the Ozark Bluff Dwellers.

<u>Arkansas Historical Quarterly</u> 5:274-277.

MacNeish, Richard S.

1978 <u>The Science of Archaeology</u>? Duxbury Press, North Scituate.

Marshall, Richard A.

The use of Table Rock Reservoir projectile points in the delineation of cultural complexes and their distribution. Unpublished Masters Thesis, University of Missouri-Columbia.

Marshall, Richard A., and Carl H. Chapman
1960a The Rice Site, 23SN200, revisited. <u>In</u> Archaeological
Investigations in the Table Rock Reservoir Area,
Missouri, by C.H. Chapman et al. Report to National
Park Service on Contract 14-10-333-96, Miswest
Research Center, Lincoln. Pp. 988-1044.

1960b Cultural materials from Jakie Shelter, 23BY388. In Archaeological Investigations in the Table Rock Reservoir Area, Missouri, by C.H. Chapman et al. Report to National Park Service on Contract 14-10-333-96, Miswest Research Center, Lincoln. Pp. 1131-1149.

National Register of Historic Places Continuation Sheet

Section number H	Page 4	Prehistoric Ro	ock Shelter	and Cave	Sites in	
		Southwestern M	Missouri			

Martin, Ronald L.

1972 Cave development in the Bull Creek drainage basin of southwest Missouri. Unpublished Masters Thesis, University of Oklahoma. Reprinted in: Ozark Caver 4(1) by Heart of the Ozarks Grotto, Southwest Missouri State University.

Perttula, T.K., J.E. Price, C. Helm, and R. Reuter-Hart
1982 A cultural resources survey of forest tracts in the
Poplar Bluff, Salem, Van Buren, Ava, Rolla, Winona,
and Fredericktown Districts, performed for the USDA
Forest Service, Mark Twain National Forest: 1981-1982.
Center for Archaeological Research, Southwest Missouri
State University, Report No. 476. Springfield.

Ray, Jack H., and David W. Benn
1989 A Survey of Sheltered Sites in Flat, Bull, and Swan
Creek Drainage Basins in Southwest Missouri:
1988-1989. Center for Archaeological Research Report
no. 744. Springfield.

Sauer, Carl O.

1920 The geography of the Ozark Highland of Missouri. University of Chicago Press, Chicago.

Scholtz, Sandra C.


1975 Prehistoric plies: a structural and comparative analysis of cordage, netting, basketry, and fabric from Ozark Bluff Shelters. Arkansas Archeological Survey. Research Series 9.

Spears, Carol, Nancy Myer, and Hester A. Davis
1975 Watershed summary of archaeological and historical resources in the White River Basins, Arkansas and Missouri. Arkansas Archeological Survey, Research Report 5, Fayetteville.

Straus, Lawrence Guy

1990 Underground archaeology. In <u>Archaeological Method and Theory</u> Vol. 2, edited by Michael B. Schiffer. University of Arizona Press, Tucson.

National Register of Historic Places Continuation Sheet



- Thomson, Kenneth C.
 - n.d. Geologic map of the Shell Knob, Cape Fair, Golden, and Viola quadrangles, Missouri. Map (15') on file at Southwest Missouri State University.
 - 1982a Geologic map of the Garrison, Day, Selmore, and Chadwick quadrangles, Missouri. Map (15') on file at Southwest Missouri State University.
 - 1982b Geologic map of Taney County, Missouri. Map on file at Southwest Missouri State University.
- Thomson, Kenneth C., and Ronald L. Martin

 1975 Caves of Christian County, Missouri, Part I: eastern

 by 16 Missouri Speleology 15(3):1-36 Quarterly

half. <u>Missouri Speleology</u> 15(3):1-36. Quarterly Journal of the Missouri Speleological Survey, Inc.

- Weston, Donald E., and Michael S. Weichman
- Master plan for archaeological resource protection in Missouri. Prepared by Archaeological Associates and Environmental Systems Analysis. Division of Parks, Recreation, and Historic Preservation, Missouri Department of Natural Resources.
- Wood, W. Raymond, et al.
- 1983 The Loftin Component, 23SN42. The Missouri
 Archaeologist 44:1-74.